

History of MSD Rates since Consolidation

7/1/16

FY	Domestic			Industry				Billing Charge	Assumed Charge from COA
	Treatment Works	Collection System	Combined Q rate	Q	BOD	SS	Collection System		
FY90	\$ 1.10	\$ 0.22	\$ 1.32	\$ 0.241	\$ 0.171	\$ 0.156	\$ 0.090	\$ 0.30	4.00
FY91	\$ 1.32	\$ 0.42	\$ 1.74	\$ 0.256	\$ 0.182	\$ 0.166	\$ 0.279	\$ 1.00	5/8" Base Meter Charge 4.10
FY92	N/A	N/A	\$ 2.35	N/A	\$ 0.230	\$ 0.130	N/A	\$ 1.30	Base Meter Charge 4.10
FY93	N/A	N/A	\$ 2.35	N/A	\$ 0.230	\$ 0.130	N/A	\$ 1.30	Base Meter Charge 4.10
FY94	\$ 1.09	\$ 1.26	\$ 2.35	N/A	\$ 0.310	\$ 0.140	N/A	\$ 1.30	Base Meter Charge 4.10
FY95	\$ 1.33	\$ 1.13	\$ 2.46	\$ 0.274	\$ 0.373	\$ 0.200	\$ 0.304	\$ 1.30	Base Meter Charge 4.10
FY96	\$ 1.50	\$ 0.96	\$ 2.46	\$ 0.272	\$ 0.378	\$ 0.251	\$ 0.304	\$ 1.30	Base Meter Charge 4.10
FY97			Treatment & Transport \$ 2.54	Treatment & Transport \$ 0.587	BOD >10 \$ 0.389	TSS >13 \$ 0.262		\$ 1.30	Base Meter Charge 4.10
FY98			Treatment & Transport \$ 2.54	Treatment & Transport \$ 0.587	BOD >10 \$ 0.389	TSS >13 \$ 0.262		\$ 1.30	Base Meter Charge 4.10
FY99			Treatment \$ 2.54	Treatment \$ 0.587	BOD >10 \$ 0.389	TSS >13 \$ 0.262		\$ 1.55	Base Meter Charge 4.10
FY00			Treatment \$ 2.64	Treatment \$ 0.643	BOD >20 \$ 0.401	TSS >26 \$ 0.273		\$ 1.55	Base Meter Charge 4.10
FY01			Treatment \$ 2.75	Treatment \$ 0.712	BOD >30 \$ 0.411	TSS >30 \$ 0.284		\$ 1.55	Base Meter/Maint.Charge 4.25
FY02			Treatment \$ 2.86	Treatment \$ 0.912	BOD > 50 \$ 0.411	TSS > 50 \$ 0.284		\$ 1.55	Base Meter/Maint.Charge 4.40
FY03			Treatment \$ 2.93	Treatment \$ 0.970	BOD > 70 \$ 0.411	TSS > 70 \$ 0.284		\$ 1.75	Base Meter/Maint.Charge 4.51
FY04			Treatment \$ 2.99	Treatment \$ 1.120	BOD > 90 \$ 0.411	TSS > 90 \$ 0.284		\$ 1.75	Base Meter/Maint.Charge 4.60
FY05			Treatment \$ 3.05	Treatment \$ 1.277	BOD > 110 \$ 0.411	TSS > 110 \$ 0.284		\$ 1.78	Base Meter/Maint.Charge 4.69
FY06			Treatment \$ 3.14	Treatment \$ 1.416	BOD > 130 \$ 0.401	TSS > 130 \$ 0.282		\$ 1.84	Base Meter/Maint.Charge 4.83
FY07			Treatment \$ 3.28	Treatment \$ 1.620	BOD > 140 \$ 0.397	TSS > 140 \$ 0.285		\$ 1.92	Base Meter/Maint.Charge 5.05
FY08			Treatment \$ 3.41	Treatment \$ 1.830	BOD > 150 \$ 0.394	TSS > 150 \$ 0.285		\$ 1.95	Base Meter/Maint.Charge 5.25
FY09			Treatment \$ 3.51	Treatment \$ 2.045	BOD > 150 \$ 0.386	TSS > 150 \$ 0.283		\$ 2.05	Base Meter/Maint.Charge 5.41
FY10			Treatment \$ 3.64	Treatment \$ 2.270	BOD > 170 \$ 0.378	TSS > 170 \$ 0.281		\$ 2.05	Base Meter/Maint.Charge 5.61
FY11			Treatment \$ 3.77	Treatment \$ 2.515	BOD > 180 \$ 0.363	TSS > 180 \$ 0.276		\$ 2.11	Base Meter/Maint.Charge 5.81
FY12			Treatment \$ 3.88	Treatment \$ 2.740	BOD > 190 \$ 0.354	TSS > 190 \$ 0.273		\$ 2.14	Base Meter/Maint.Charge 5.98
FY13			Treatment \$ 3.98	Treatment \$ 2.975	BOD > 200 \$ 0.345	TSS > 200 \$ 0.269		\$ 2.21	Base Meter/Maint.Charge 6.13
FY14			Treatment \$ 4.08	Treatment \$ 3.195	BOD > 210 \$ 0.341	TSS > 210 \$ 0.267		\$ 2.25	Base Meter/Maint.Charge 6.28
FY15			Treatment \$ 4.18	Treatment \$ 3.439	BOD > 220 \$ 0.334	TSS > 220 \$ 0.264		\$ 2.29	Base Meter/Maint.Charge 6.44
FY16			Treatment \$ 4.28	Treatment \$ 3.702	BOD > 230 \$ 0.327	TSS > 230 \$ 0.262		\$ 2.30	Base Meter/Maint.Charge 6.60
FY17			Treatment \$ 4.39	Treatment \$ 3.960	BOD > 240 \$ 0.320	TSS > 240 \$ 0.259		\$ 2.31	Base Meter/Maint.Charge 6.77